

Notice of Allowability

Application No.

10/716,628

Examiner

Hien D. Vu

Applicant(s)

STENBERG ET AL.

Art Unit

2833

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the communication on 12/16/04.
2. ☒ The allowed claim(s) is/are 1 and 3-23.
3. ☒ The drawings filed on 20 November 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 12/16/04
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____



HIEN VU
PRIMARY EXAMINER

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jonathan Kidney on 12/16/02.

The application has been amended as follows:

Claim 1, line 1, -- having a contact -- have been inserted after "system"; lines 6 and 8, -- element -- have been inserted after "U-link"; line 7, -- attached to the U-link system -- have been inserted after "mechanism".

Claims 4 & 14, line 2 and claims 16-17, line 4, -- system -- have been inserted after "U-link".

Claim 21, lines 1-2, ", system" have been changed to -- system having a contact, --; lines 3, 4, 5, 6 and 7, -- system -- have been inserted after "U-link".

Claim 22, line 3, "to mate on a" have been changed to -- system to mate on the -- ; line 4, -- system -- has been inserted after "link".

Claim 23, line 2, -- having a contact -- have been inserted after "component"; lines 3-6, have been changed to

-- providing a signal path for a radio frequency signal having a panel with interruptions;

Art Unit: 2833

grasping handles on a linking component and urging the linking component into ends of the interruptions to complete the signal path; --

line 9, -- on the panel -- have been inserted after "fitting"; line 10," the" has been changed to -- a --.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hien D. Vu whose telephone number is 571-272-2016. The examiner can normally be reached on 9-5.

HV
12/20/04



HIEN VU
PRIMARY EXAMINER